LX-350

DATASHEET / BROCHURE





Economical, 9-pin, 80-column printer from the world's leading dot matrix manufacturer*.

The highly reliable Epson LX-350 has a mean time between failure of 10,000 operating hours, and is ideal for front and back office applications needing continuous paper or multi-part stationery.

A very economical printer to run, the LX-350 helps save money with its high ribbon yield of 4 million characters and its low power consumption. Using just 1.1W in sleep mode and 27W when powered on, the LX-350 is qualified by ENERGY STAR for its excellent energy efficiency.

Easy to integrate, the LX-350 has Parallel, Serial and USB interfaces as standard, and will fit neatly onto desks thanks to its compact design and cable management system.

KEY FEATURES

- High reliability
 MTBF of 10,000 operating hours
- Power-efficient1.1W on standby, 27W powered on
- Economical
 Ribbon yield of 4m characters
- Easy integration
 Parallel, Serial and USB interfaces
- Compact design
 Fits neatly onto desks



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method Impact dot matrix

Number of Pins 9 pins Number of columns 80 columns 9 Needles Pins

PRINT

HighSpeed-Draft: 10 cpi: 347 chars/s, 12 cpi: 357 chars/s, 15 cpi: 390 chars/s, Draft: 10 cpi: **Printing Speed**

260 chars/s, 12 cpi: 312 chars/s, NLQ: 10 cpi: 65 chars/s, 12 cpi: 78 chars/s

Carbon Copies 4 plus one original

Printing Resolution 240 x 144 DPI

CONNECTIVITY

Bidirectional parallel, USB 2.0 Type B, RS-232 Interfaces

PAPER / MEDIA HANDLING

Document Feed Single sheet rear, Continuous paper rear, Paper output rear

Paper Formats Sheet Paper (single- and multi-layer), Continuous Paper (single- and multi-layer), Labels

(single- and multi-layer), Roll Paper, Envelopes

GENERAL

27 Watt, 1.1 Watt (standby) Power consumption

Product dimensions 348 x 275 x 154 mm (Width x Depth x Height)

Product weight 4.1 ka

Operation 5° C - 35° C, Storage 5° C - 35° C Supported Temperature

Supported Humidity Operation 10% - 80%, Storage 10% - 80%

Compatible Operating

Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP

Systems

Included Software Epson Status Monitor Mean Time Between Failures 10,000 hours

Print Head Life 400 Million Strokes/Wire Operation: 53 dB (A) Noise

Memory 128 kB Included Ribbon Yield 4000000 characters Black Draft

OTHER FEATURES

ESC/P, IBM PPDS **Emulations**

OTHER

Warranty 24 months Carry in

Optional warranty extension available

LX-350

WHAT'S IN THE BOX

- Main unit
- Setup guide
- User manual (CD)
- Driver and utilities (CD)
- Software (CD)
- Warranty document
- Power cable
- Ribbon



LX-350

SIDM Black Ribbon Cartridge	C13S015637
SIDM Black Ribbon Cartridge	C13S015637BA
SIDM Black Ribbon Cartridge	C13S015647BA
SIDM Black Ribbon Cartridge	C13S015647

OPTIONAL ACCESSORIES

 Epson SIDM Paper Roll Holder for LX-300+II/1170II, FX-890/A, FX-2190, LQ-690/300+II series C12C811141

LOGISTICS INFORMATION

SKU	C11CC24031
EAN code	8715946502939
Country of Origin	Indonesia



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742 Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway

+47 67 11 37 00
Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

465-9621
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)

Switzerland 022 592 7923
Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Worldwide sales volume, IDC

